

Product Data Sheet

MaxiCut® Ultra™ 44-3745

Colour – Coating	Black
Colour – Liner	Blue
Design	Palm coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	UHMWPE-Glass-Nylon, Spandex
Palm thickness	1.00 mm



Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Total glove length (+/-10 mm)	200	210	220	230	240	245	250
Wrist length (mm)	60	65	70	70	75	80	85
Wrist width (mm)	65	72	74	76	78	80	82
Palm width (+/-3 mm)	82	86	96	98	100	103	106
Over lock colour	Blue	Red	Orange	White	Yellow	Black	Green

EN test Results

Test	Notified Body	Result/Pass
EN ISO 21420: 2020	TÜV Rheinland	Yes
EN 388: 2016 + A1: 2018	TÜV Rheinland	4542C

ANSI test Results

Test	Notified Body	Result/Pass
ANSI/ISEA 105 (2016) (A1-A9)	ATG accredited laboratory	A3



Product Data Sheet

MaxiCut® Ultra™ 44-3745

Typical Performance Values

EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 20.0 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 75 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 60 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 10 Newton

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867)	Certified
Washable	40°
Sanitized®	Yes



Special features

Silicone free	Yes
Touchscreen compatible	Yes
FDA compliant	Yes (Part 177 Indirect Food Additives)



Product Data Sheet

MaxiCut® Ultra™ 44-3745

Packaging

Pairs per poly bag	12
Poly bags per carton	6
Carton count	72
Carton dimensions (mm)	500 x 295 x 200

Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Glove weight / Pair (+/-6 gram)	40	46	50	54	58	62	64
Gross Weight (Kg)	4	3.75	4.5	5	5.5	5.65	5.8
Carton Weight (Kg)	1	1	1	1	1	1	1
Net Weight (Kg)	3	2.75	3.5	4	4.5	4.65	4.8

Issue date: 18.07.2019

